

21

**ENABLING SUCCESSFUL HOSPITAL DISCHARGE TO HOME AT END OF LIFE: CAN A CARER SUPPORT NEEDS ASSESSMENT TOOL (CSNAT) HELP IMPROVE SUPPORT FOR FAMILY CARERS?**

<sup>1</sup>Gail Ewing, <sup>2</sup>Lynn Austin, <sup>2</sup>Debra Gibson, <sup>2</sup>Gunn Grande. <sup>1</sup>*University of Cambridge, UK;*  
<sup>2</sup>*The University of Manchester, UK*

10.1136/bmjspcare-2016-001204.21

## Abstracts

**Introduction** Successful hospital discharge and prevention of readmission often depend on carers' ability to support patients.

**Aim** To investigate how carers are supported during patient discharge from acute care towards end of life (EOL) and suitability of using a Carer Support Needs Assessment Tool (CSNAT) to improve this support.

**Methods** Qualitative design: focus groups (FGs) with 40 practitioners supporting patient discharge from three English acute hospital trusts; interviews with 22 carers of patients discharged. 14 practitioners and 5 carers joined two final workshops. FGs/interviews/workshops explored current discharge processes and potential value of using CSNAT. Thematic framework analysis was conducted.

**Results** Both practitioners and carers viewed CSNAT as highly relevant in supporting carers at discharge. Discharge processes were heavily focussed on patients: carers were consulted but about patients' needs; there was no systematic approach to supporting carers. CSNAT was identified as a means of facilitating much needed EOL conversations which often were absent, enabling carers to articulate concerns, and managing carers' expectations of their caregiving role at EOL and support available (or not) in the community. However, palliative care discharges were complex: from many different wards involving different practitioners. No single professional group was identified as best placed to support carers. Feasibility issues included skills, confidence and time for carer assessment and support. A two stage process using CSNAT earlier in hospital admission, then as a carer-held record to manage transition to home were seen as ways forward.

**Conclusion** CSNAT shows good potential to enhance carer support at hospital discharge and play a role in preventing readmissions towards EOL.

## REFERENCES

- 1 Ewing G, Brundle C, Payne S, Grande G. The Carer Support Needs Assessment Tool (CSNAT) for use in palliative and end-of-life care at home: A validation study. *J Pain Symptom Manage* 2013;**46**:395–405
- 2 Ewing G, Grande GE. Development of a Carer Support Needs Assessment Tool (CSNAT) for end of life care practice at home: a qualitative study. *Palliat Med* 2013;**27**:244–256

# Enabling successful hospital discharge to home at end of life: can a carer support needs assessment tool (CSNAT) help improve support for family carers?

Gail Ewing, Lynn Austin, Debra Gibson and Gunn Grande

*BMJ Support Palliat Care* 2016 6: 391-392  
doi: [10.1136/bmjspcare-2016-001204.21](https://doi.org/10.1136/bmjspcare-2016-001204.21)

---

Updated information and services can be found at:  
<http://spcare.bmj.com/content/6/3/391.3>

---

## Email alerting service

*These include:*

Receive free email alerts when new articles cite this article. Sign up in the box at the top right corner of the online article.

---

## Notes

---

To request permissions go to:  
<http://group.bmj.com/group/rights-licensing/permissions>

To order reprints go to:  
<http://journals.bmj.com/cgi/reprintform>

To subscribe to BMJ go to:  
<http://group.bmj.com/subscribe/>