## **Supplemental Material 2**

## **Data Extraction Tool**

Details of publication	
First author	
Reference	
Introduction	
Aims	
Study participants	
Country of study	
Recruitment	
<ul> <li>Characteristics of participants:</li> <li>Number</li> </ul>	
- Setting (home, hospital etc)	
<ul> <li>Age / sex / social class / ethnicity</li> </ul>	
Methods	
Date of fieldwork	
Research methods	
Analysis	
Key findings relevant to review	
1) What is <b>current practice?</b> Who prescribes, for whom, proximity to death? Who administers? Absence of AP?	
2) What are the <b>attitudes of patients</b> to AP? <i>Patients' acceptance / views</i>	
3) What are the <b>attitudes of family caregivers</b> to AP? <i>Carers' acceptance / views</i>	
4) What are the <b>attitudes of community</b> <b>healthcare professionals</b> to AP? <i>HCPs' acceptance of AP, concerns, views re use,</i> <i>barriers, facilitators, etc.</i>	

## **Supplemental Material 2**

## **Data Extraction Tool**

5) Evidence for <b>clinical effectiveness</b> ?	
<i>Clinical:</i> comfort / symptom control (who reported)	
6) Evidence for <b>cost / cost-effectiveness</b> ?	
<i>Service use:</i> admission avoidance, place of death, healthcare activity, etc.	
<i>Cost</i> : costs of drugs, admissions, healthcare activity, ect	
Author(s) conclusion(s)	
Reviewer assessment of the internal validity, appropriateness and contribution of the study in answering the relevant research questions (Gough's WoE)	
Weight of Evidence A	
Coherence and integrity of the evidence <u>in its</u> <u>own terms</u>	
Weight of Evidence B	
Appropriateness of <u>form of evidence</u> for answering review question	
Weight of Evidence C	
<u>Relevance of the evidence</u> for answering review question	
Weight of Evidence D	
<u>Overall assessment</u> of study contribution to answering review question	